


X XX/XXXXXX/XXX/XX/XXX/XXXX



Air Distribution System

- P = Pro-Flo
- PV = Pro-Flo V
- T = Turbo-Flo

Model Size

- 025 = 6 mm (1/4")
- 038 = 10 mm (3/8")
- 1 = 13 mm (1/2")
- 2 = 25 mm (1")
- 4 = 38 mm (1 1/2")
- 8 = 51 mm (2")
- 15 = 76 mm (3")

Wetted Parts & Outer Piston

- AA = Aluminum / Aluminum
- PP = Polypropylene/Polypropylene
- KK = PVDF / PVDF
- SS = Stainless Steel / Stainless Steel

Air Chamber

- A = Aluminum
- N = Nickel Plated Aluminum
- P = Polypropylene
- S = Stainless Steel

Center Block

- A = Aluminum
- N = Nickel Plated Aluminum
- P = Polypropylene
- S = Stainless Steel

Air Valve

- A = Aluminum
- B = Brass
- P = Polypropylene
- N = Nickel Plated Brass
- S = Stainless Steel

Diaphragms

- BNS = Buna-N
- FSS = Saniflex
- NES = Neoprene
- TNU = Teflon w/Neoprene Backup
- WFS = Wilflex

Valve Balls

- BN = Buna-N
- FS = Saniflex
- NE = Neoprene
- TF = Teflon
- WF = Wilflex

Valve Seats

- BN = Buna-N
- FS = Saniflex
- NE = Neoprene
- SS = Stainless Steel
- A = Aluminum
- K = PVDF
- P = Polypropylene
- WF = Wilflex

Valve Seat O-ring

- BN = Buna-N
- FS = Saniflex
- TF = Teflon
- TV = Teflon Encapsulated V
- WF = Wilflex